

Page 1/10

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

SECTION 1:	Identifica	ntion of the substance/mixture and of the company/undertaking
1.1 Product ide	ntifier	
Trade name: M	OTIP BRAK	KE CLEANER 500 ML
No further releve Sector of Use SU21 Consum SU22 Professi Product catego Process catego PROC7 Indust PROC11 Non	entified uses vant informat er uses: Priva onal uses: Pu onal uses: Pu ry Flux agent ry flux agent ry industrial spraying industrial spr	vate households / general public / consumers ublic domain (administration, education, entertainment, services, craftsmen) ats for casting g
Manufacturer/S European Aero. Wolfraamweg 2 NL-8471 XC W The Netherland Tel : +31 (0)56 e-mail: sds-nl@ *Formerly know Further inform 1.4 Emergency +31 (0)561-694	Supplier: sols B.V.* olvega s 1 694400 european-ae vn as Motip L ation obtaina telephone nu 400 (09:00h	Dupli B.V. able from: Department Product Safety umber:
SECTION 2 :	Hazards i	identification
	according to h	bstance or mixture Regulation (EC) No 1272/2008
Aerosol 1	H222-H2 onment	229 Extremely flammable aerosol. Pressurised container: May burst if heated.
Aquatic Chroni	c 2 H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	H315	Causes skin irritation.
Skin Irrit. 2 STOT SE 3	H315 H336	Causes skin irritation. May cause drowsiness or dizziness. (Contd. on page

Page 2/10


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML



- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

*

· Description: Mixture of substances listed below with nonhazardous additions.

EC number: 921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-	50-<75%
Reg.nr.: 01-2119475514-35	hexane	_
	🔅 Flam. Liq. 2, H225	
	A sp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
	🚯 Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 74-98-6	propane	10-<12.5%
EINECS: 200-827-9	🚸 Flam. Gas 1A, H220	-
Index number: 601-003-00-5		
Reg.nr.: 01-2119486944-21		
CAS: 106-97-8	butane (containing $< 0,1$ % butadiene (203-450-8))	5-<10%
EINECS: 203-448-7	🚸 Flam. Gas 1A, H220	-
Index number: 601-004-00-0		
Reg.nr.: 01-2119474691-32		

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML

		Contd. of page 2)
CAS: 75-28-5	isobutane (containing $< 0,1$ % butadiene (203-450-8))	5-<10%
EINECS: 200-857-2	🚸 Flam. Gas 1A, H220	
Index number: 601-004-00-0	Press. Gas (Comp.), H280	
Reg.nr.: 01-2119485395-27		
CAS: 124-38-9	carbon dioxide	2.5-<5%
EINECS: 204-696-9	🔗 Press. Gas (Liq.), H280	

· Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Keep away from ignition sources.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

GB

Safety data sheet


according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML



Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

(Contd. of page 4)

Trade name: MOTIP BRAKE CLEANER 500 ML

· Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in

particular cases.

*

· Eye/face protection Not required.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	roperties
• General Information	
· Physical state	Aerosol
· Colour:	Clear
· Odour:	Solvent-like
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
• Boiling point or initial boiling point and boiling	
range	Not applicable, as aerosol.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	0.6 Vol % (Hydrocarbons, C6-C7, n-alkanes,
	isoalkanes, cyclics, <5% n-hexane)
· Upper:	10.9 Vol % (74-98-6 propane)
· Flash point:	-12 °C (10.4 °F) (Hydrocarbons, C6-C7, n-alkanes,
	isoalkanes, cyclics, <5% n-hexane)
	Not applicable, as aerosol.
· Ignition temperature:	$>200 \ ^{\circ}C \ (>392 \ ^{\circ}F) \ (Hydrocarbons, \ C6-C7, \ n-alkanes,$
ignition temperature	isoalkanes, cyclics, <5% n-hexane)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	Tor determined.
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	Tor determined.
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
• Vapour pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	5500 hPa (4125.3 mm Hg)
· Density and/or relative density	5500 m a (1125.5 mm 11g)
• Density at 20 °C (68 °F):	0.7 g/cm ³ (5.8 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
<u> </u>	
• 9.2 Other information	
· Appearance:	A1
· Form:	Aerosol
· Important information on protection of health an	a
environment, and on safety.	Product is not applosing Housen formation of
· Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
	(Contd. on page 6)

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML

	(Contd. of pag
Solvent content:	
Organic solvents:	97.5 %
VOC (EC)	
	654.0 g/l
VOC-EU%	97.50 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard	classes
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

*

· LD/LC50 values relevant for classification:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane</th>OralLD50>5840 mg/kg (rat)DermalLD50>2920 mg/kg (rab)InhalativeLC50 / 4h>25.2 mg/l (rat)

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation No irritating effect.

· Respiratory or skin sensitisation No sensitising effects known.

· STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 7)

⁻ GB ·

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

(Contd. of page 6)

Trade name: MOTIP BRAKE CLEANER 500 ML

\cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

EC50 / 48 h 3 mg/l (daphnia magna)

- EC50 / 72 h 30-100 mg/l (algae)
- *LC50 / 96 h* 11.4 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:
- Disposal must be made according to official regulations. Disposal must be made according to official regulations.

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name	
ADR	1950 AEROSOLS, MARINE POLLUTANT/
	ENVIRONMENTALLY HAZARDOUS
·IMDG	AEROSOLS, MARINE POLLUTANT
·IATA	AEROSOLS, flammable

GB

Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML

142 Turner out has and alags(as)	(Contd. of pa
14.3 Transport hazard class(es)	
ADR	
W W	
\checkmark \checkmark	
Class	2 5F Gases.
Label	2.1
IMDG	
Class	2.1 Gases.
Label	2.1 Gases. 2.1
IATA	
Class	2.1 Gases.
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	V
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of
	litre: Category A. For AEROSOLS with a capacity
	above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1
Segregation cour	litre:
	Segregation as for class 9. Stow "separated from" cla
	1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of cla
	2. For WASTE AEROSOLS:
	For WASTE AEROSOLS: Segregation as for the appropriate subdivision of cla
	2.
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
	(Contd. on pa

Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML

	(Contd. of page 8
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/
-	ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

- Department issuing SDS: R&D legislation and regulatory advisor
- · Contact: e-mail: sds-nl@european-aerosols.com

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

(Contd. on page 10)

GB

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2022

Version number 198 (replaces version 197)

Revision: 30.03.2022

Trade name: MOTIP BRAKE CLEANER 500 ML

(Contd. of page 9) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 1: Aerosols – Category 1
Press. Gas (Comp.): Gases under pressure – Compressed gas
Press. Gas (Liq.): Gases under pressure – Liquefied gas
Flam. Lig. 2: Flammable liquids – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
\cdot * Data compared to the previous version altered.